

Crump, Danny

From: Monroe (website) -marketing, Scott
Sent: Friday, July 27, 2012 4:44 PM
To: Crump, Danny
Subject: Discontinuation Notice: Air-Pak NxG2 SCBA



SCOTT PRODUCT/SERVICE UPDATES

DISCONTINUATION NOTICE

Retirement of the Air-Pak NxG2 Self-Contained Breathing Apparatus

With the promulgation of the next NFPA 1981 standard in July 2013, Scott Safety is announcing the retirement of the Air-Pak NxG2 SCBA. The Air-Pak NxG2 was designed to meet a standard that will have been three revisions old (1997 edition). Thus, **effective June 30, 2013, Scott Safety will no longer accept orders for the Air-Pak NxG2 SCBA.** Consistent with Scott Safety support policies, spare parts for the Air-Pak NxG2 will be available for the balance of the warranty period for SCBA manufactured through June 2013.

The chart below lists the part numbers that will be discontinued.

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 200300 | 200306 | 200312 | 200318 | 200327 | 200333 | 200339 |
| 200301 | 200307 | 200313 | 200319 | 200328 | 200334 | 200340 |
| 200302 | 200308 | 200314 | 200320 | 200329 | 200335 | 200341 |
| 200303 | 200309 | 200315 | 200321 | 200330 | 200336 | |
| 200304 | 200310 | 200316 | 200322 | 200331 | 200337 | |
| 200305 | 200311 | 200317 | 200323 | 200332 | 200338 | |

All Part Numbers with these prefixes are included in this discontinuation.

The following is the recommended alternative Scott Safety SCBA offering for your customers who have been purchasing the Air-Pak NxG2 SCBA.

- [Air-Pak NxG7 SCBA](#) - for customers that require an SCBA with the Snap-Change cylinder.
- Once NFPA 1981, 2013 edition promulgates, a new alternative SCBA offering will be made available for customers.

Thank you for your continued interest and support of Scott Safety and its life saving products. If you have any further questions or concerns, please contact your local Scott Safety Regional Manager.

Sincerely,

A handwritten signature in black ink, appearing to read 'John G. Dinning, IV'.

John G. Dinning, IV

North American Product Line Manager, NFPA SCBA



facebook.com/scottsafety

© 2012 Scott Safety. SCOTT, the SCOTT SAFETY Logo, Scott Health and Safety, Air-Pak NxG2 SCBA, and Air-Pak NxG7 SCBA are registered and/or unregistered marks of Scott Technologies, Inc. or its affiliates.

[Unsubscribe](#) from email communications



PRODUCT DISCONTINUATION

Pak-Alert SE+ Parts Availability

Dear Valued Channel Partner,

3M Scott Fire & Safety would like to make you aware that we plan to discontinue parts availability for the Pak-Alert SE+ distress alarm, as part of the Air-Pak NxG2 SCBA, effective January 1, 2019 (or while supplies last). Part numbers affected are 805917-XX, 805918-XX, and 805919-XX.

The Pak-Alert SE+ distress alarm was formally discontinued on March 1, 2013 due to a lack of availability of electronic components required to build the product. As part of the original discontinuation notice, it was communicated that we would continue to offer factory support and sell spare parts through February 18, 2016.

The Pak Alert SE7 distress alarm has proven to be a great replacement for the Pak Alert SE+ with improved durability, longer warranty, compliant with current NFPA standards, etc. In many cases the Air-Pak 50 and Air-Pak NxG2 SCBA may be updated to accept the Pak Alert SE7 distress alarm. Please contact 3M Scott Fire & Safety's Technical Support department with any questions you may have with regard to adding the Pak Alert SE7 to your 3M Scott respiratory protection equipment. When updating to the Pak Alert SE7, we strongly urge our customers to consider the Pak Tracker Firefighter Locator System and SEMS II accountability system options as this would be the best time to add these great features to your existing SCBA.

Visit www.scottsafety.com to see further product information and resources for current 3M Scott Fire & Safety products.

3M Scott Fire & Safety strives to provide the highest quality of respiratory protection products in the industry and we regret any inconvenience these product discontinuations may cause in your service operations. Should you have any questions, please contact us using the information listed below.

3M Scott Fire & Safety

Customer Service: 1-800-247-7257, option 3

Technical Support: 1-800-247-7257, option 4

Sincerely,



Jason Cannon | Portfolio Manager – NFPA SCBA
SCBA & Fire Solutions
3M Personal Safety Division



ScottSafety.com

Copyright © 2018 3M, All rights reserved.

3M Scott Fire & Safety - 4320 Goldmine Road - Monroe - NC - 28110