

This AGREEMENT ("Agreement") is entered by and between **Thirkettle Corporation, Aqua Metric Sales Company** ("Contractor"), located at **4050 Flat Rock Dr. Riverside, CA 92505** and the **City of League City** ("City"), a home-rule municipality, located at 300 W. Walker St., League City, Texas 77573 on the date set forth below.

Terms:

- 1. **Scope of Services:** Contractor will perform the services and/or provide the products as set forth in **Exhibit A**, which is attached and incorporated herein, and which can be generally described as **the purchase of new water meters and parts**. If there is a conflict between the terms of this Agreement and Exhibit A, the terms of this Agreement will prevail.
- 2. **Term and Termination:** This Agreement shall commence on **October 1, 2021** and shall expire on **September 30, 2022** The period from commencement to expiration is the Contract Term. City reserves the right to terminate this Agreement for convenience upon seven (7) days written notice to Contractor. Upon such termination, City shall pay Contractor, at the rate set out in **Exhibit A**, for services satisfactorily performed or products satisfactorily provided up through the date of termination. Notwithstanding any provision in this Agreement to the contrary, City will not be required to pay or reimburse Contractor for any services performed or for expenses incurred by Contractor after the date of the termination notice that could have been avoided or mitigated by Contractor.
- 3. Compensation: Contractor shall be paid for the services/products as set forth in **Exhibit A**. In no event shall the total compensation exceed \$400,000 during the term of this Agreement. City shall tender payment (including progress/partial payments) for services/goods only after such services are completed or goods are delivered and are deemed to be acceptable under this Agreement, in the sole reasonable discretion of City. Contractor must submit to City invoices for all goods delivered and services provided, which invoices must include details and dates of service or delivery. Payment by City shall be made within thirty (30) days of receipt of an invoice, except for any portion of the invoiced amount that City disapproves as not compliant under this Agreement, in the sole reasonable discretion of City. If City disapproves any amount submitted for payment by Contractor, City shall give Contractor specific reasons for disapproval in writing.
- 4. Insurance: Contractor is not required during the Contract Term to maintain insurance as follows: (a) Comprehensive General Commercial Liability insurance covering bodily injury and property damage, with minimum coverage limits—exclusive of defense costs—of \$1,000,000 per occurrence and \$2,000,000 aggregate; (b) If Contractor will provide City "professional services," as that term is used in Chapter 252 of the Texas Local Government Code, Professional Liability (errors and omissions/malpractice) insurance with minimum coverage limits—exclusive of defense costs—of \$2,000,000 per occurrence; and (c) If at any point during the Contract Term it is foreseeable that Contractor will enter upon City premises: (i) Worker's Compensation coverage with statutory limits for the State of Texas, and (ii) Commercial Automobile Liability coverage with minimum coverage limits—exclusive of defense costs—of \$1,000,000 per occurrence and \$2,000,000 aggregate. All policies must contain a waiver of subrogation against City. Comprehensive General Liability and Commercial Automobile Liability policies must name the City as Additional Insured. Contractor shall pay all insurance deductibles and deductibles must not exceed \$10,000 unless approved in advance by City. Contractor shall provide City Certificates of Insurance evidencing these insurance requirements prior to the start of work.

- 5. Liquidated Damages: Reserved.
- 6. **Independent Contractor:** Contractor is an independent contractor and is not an employee, partner, joint venture, or agent of City. Contractor understands and agrees that he/she will not be entitled to any benefits generally available to City employees. Contractor shall be responsible for all expenses necessary to carry out the services under this Agreement and shall not be reimbursed by City for such expenses except as otherwise provided in this Agreement.
- 7. Intellectual Property: This Agreement shall be an Agreement for services and the parties intend and consider any work created as a result of this Agreement, including any and all documentation, images, products or results, to be a work (the "Work") for hire under federal copyright law. Ownership of the Work shall belong to and remain the exclusive property of City. The Work may be edited at any time within City's discretion. If the Work would not be considered a work-for-hire under applicable law, Contractor hereby assigns, transfers, and conveys any and all rights, title and interest to City, including without limitation all copyrights, patents, rights of reproduction, rights to ownership, and right to secure registrations, renewals, reissues and extensions thereof. As the sole copyright holder of the Work, City maintains and asserts the rights to use, reproduce, make derivative works from, and/or edit the Work in any form of medium, expression or technology now known or hereafter developed, at any time within City's discretion. Contractor shall not sell, disclose or obtain any other compensation for the services provided herein or the Work. If the Work is one to which the provisions of 17 U.S.C. § 106A apply, Contractor hereby waives and appoints City to assert on Contractor's behalf Contractor's moral rights or any equivalent rights regarding the form or extent of any alteration to the Work (including, without limitation, removal or destruction) or the making of any derivative works based on the Work, including, without limitation, photographs, drawings or other visual reproductions of the work, in any medium, for City's purposes.
- 8. Confidentiality: During the course of the services to be provided under this Agreement, Contractor may become privy to confidential information of City. Contractor agrees to treat as confidential the information or knowledge that becomes known to Contractor during performance of this Agreement and to not use, copy, or disclose such information to any third party unless authorized in writing by City. This provision does not restrict the disclosure of any information that is required to be disclosed under applicable law. Contractor shall promptly notify City of any misuse or unauthorized disclosure of City's confidential information and upon expiration of this Agreement shall return to City all confidential information in Contractor's possession or control. Contractor shall further comply with all information security policies of City that may apply and shall not make any press releases, public statements or advertisement referring to the services provided under this Agreement or the engagement of Contractor without the prior written approval of City.
- 9. Warranties and Representations: Contractor warrants and agrees that Contractor shall perform its services and conduct all operations in conformity with all applicable federal, state, and local laws, rules, regulations, and ordinances. For any service performed on premises owned or controlled by City, Contractor warrants and agrees that Contractor will perform said services in compliance with all City rules, including but not limited to, prohibitions related to tobacco use, alcohol, and other drugs.

- 10. Licenses/Certifications: Contractor represents and warrants that it will obtain and maintain in effect, and pay the cost of, all licenses, permits or certifications that may be necessary for Contractor's performance of this Agreement. If Contractor is a business entity, Contractor warrants, represents, covenants, and agrees that it is duly organized, validly existing and in good standing under the laws of the state of its formation; and is duly authorized and in good standing to conduct business in the State of Texas, that it has all necessary power and has received all necessary approvals to execute and deliver the Agreement and is authorized to execute this Agreement according to its terms on behalf of Contractor.
- 11. **Performance/Qualifications:** Contractor agrees and represents that Contractor has the personnel, experience, and knowledge necessary to qualify Contractor for the particular duties to be performed under this Agreement. Contractor warrants that all services performed under this Agreement shall be performed consistent with generally prevailing professional or industry standards.
- 12. **Conflict of Interest:** Contractor warrants, represents, and agrees that Contractor presently has no interest and shall not acquire any interest, direct or indirect, that would conflict in any manner or degree with Contractor's performance of the services hereunder. Contractor further warrants and affirms that no relationship or affiliation exists between Contractor and City that could be construed as a conflict of interest with regard to this Agreement.
- 13. **INDEMNIFICATION**: CONTRACTOR SHALL DEFEND, INDEMNIFY AND HOLD HARMLESS CITY, AND EACH OF ITS OFFICIALS, OFFICERS, AGENTS AND EMPLOYEES FROM AND ALL CLAIMS, ACTIONS, SUITS, AGAINST DEMANDS. PROCEEDINGS, COSTS, DAMAGES AND LIABILITIES, INCLUDING WITHOUT LIMITATION ATTORNEYS' FEES AND REASONABLE LITIGATION COSTS, ARISING OUT OF, CONNECTED WITH, OR RESULTING FROM ANY ACTS OR OMISSIONS OF CONTRACTOR OR ANY AGENT, EMPLOYEE, SUBCONTRACTOR, OR SUPPLIER OF CONTRACTOR IN THE EXECUTION OR PERFORMANCE OF THIS CONTRACT, TO THE EXTENT THE CLAIM ARISES FROM NEGLIGENCE, WILLFUL ACT, BREACH OF CONTRACT OR VIOLATION OF LAW.
- 14. **Force Majeure:** Neither City nor Contractor shall be liable for any delay in the performance of this Agreement, nor for any other breach, nor for any loss or damage arising solely from uncontrollable forces such as fire, theft, storm, war, or any other force majeure that could not have been reasonably avoided by the exercise of due diligence.
- 15. **Notices:** Any notice given under this Agreement by either party to the other may be affected either by personal delivery in writing or by mail, registered or certified postage prepaid with return receipt requested. Mailed notices shall be addressed to the addresses of the Parties as they appear in the contract. Notices delivered personally shall be deemed communicated at the time of actual receipt. Mailed notices shall be deemed communicated three (3) days after mailing.
- 16. **Texas Family Code Child Support Certification:** Pursuant to Section 231.006 of the Texas Family Code, Contractor certifies that it is not ineligible to receive the award of or payments under the Agreement and acknowledges that the Agreement may be terminated, and payment may be withheld if this certification is inaccurate.

- 17. **State and/or City Auditor:** Contractor understands that acceptance of funds under the Agreement constitutes acceptance of the authority of the Texas State Auditor's Office, or any successor agency or the City's internal auditor (collectively, the "Auditor"), to conduct an audit or investigation in connection with those funds. Contractor agrees to cooperate with the Auditor in the conduct of the audit or investigation, including without limitation providing all records requested. Contractor will include this provision in all contracts with permitted subcontractors.
- 18. **Jurisdiction:** Any disputes under this Agreement shall be brought in a court of competent jurisdiction in Galveston, Texas and governed by Texas law.
- 19. Alternative Dispute Resolution: To the extent that Chapter 2260, Texas Government Code, is applicable to this Contract and is not preempted by other applicable law, the dispute resolution process provided for in Chapter 2260 and the related rules adopted by the Texas Attorney General Pursuant to Chapter 2260, shall be used by City and Contractor to attempt to resolve any claim for breach of contract made by Contractor that cannot be resolved in the ordinary course of business. The Director of Finance of City shall examine Contractor's claim and any counterclaim and negotiate with Contractor in an effort to resolve such claims. This provision shall not be construed as a waiver by City of its right to seek redress in the courts.
- 20. **Entire Agreement:** This Agreement contains the entire understanding between the Parties and supersedes all prior agreements, arrangements, and understanding, oral or written between the Parties relating to this Agreement. This Agreement may not be modified except by mutual written agreement of the Parties executed subsequent to this Agreement.
- 21. **Eligibility to Receive Payment:** Contractor certifies that, as a matter of state law, it is not ineligible to receive the Agreement and payments pursuant to the Agreement and acknowledges that the Agreement may be terminated, and payment withheld if this representation is inaccurate.
- 22. Payment of Debt/Delinquency to State: Contractor certifies that it is not indebted to the City of League City and is current on all taxes owed to the City of League City. Contractor agrees that any payments owing to Contractor under the Agreement may be applied directly toward any debt or delinquency that Contractor owes the City of League City regardless of when it arises, until such debt or delinquency is paid in full.
- 23. **Products and Materials Produced in Texas:** If Contractor will provide services under the Agreement, Contractor covenants and agrees that in performing its duties and obligations under the Agreement, it will purchase products and materials produced in Texas when such products and materials are available at a price and delivery time comparable to products and materials produced outside of Texas.
- 24. **Risk of Loss:** If applicable, all work performed by Contractor pursuant to the Agreement will be at Contractor's exclusive risk until final and complete acceptance of the work by City. In the case of any loss or damage to the work prior to City's acceptance, bearing such loss or damage will be Contractor's responsibility.
- 25. **Publicity:** Contractor shall not use City's name, logo or likeness in any press release, marketing materials or other public announcement without receiving City's prior written approval.
- 26. **Legal Construction/Severability:** In the event that any one or more of the provisions contained in this Agreement shall for any reason be held to be invalid, illegal or unenforceable in any respect, such invalidity, illegality or unenforceability shall not affect any other provision, and this Agreement shall be construed as if such invalid, illegal or unenforceable provisions had never been contained in it. To this end, the provisions of this Agreement are declared to be severable. The Parties may mutually agree to renegotiate the Agreement to cure such illegality/invalidity or unconstitutionality if such may be reasonably accomplished.

- 27. **Limitations:** The Parties are aware that there are constitutional and statutory limitations on the authority of City to enter into certain terms and conditions of the Agreement, including, but not limited to, those terms and conditions relating to liens on City's property; disclaimers and limitations of warranties; disclaimers and limitations of liability for damages; waivers, disclaimers and limitations of legal rights, remedies, requirements and processes; limitations of periods to bring legal action; granting control of litigation or settlement to another party; liability for acts or omissions of third parties; payment of attorneys' fees; dispute resolution; indemnities; and confidentiality (collectively, the "Limitations"). Any terms and conditions related to the Limitations will not be binding on City except to the extent authorized by the laws and Constitution of the State of Texas.
- 28. **Sovereign Immunity:** The Parties agree that neither the execution of the Agreement by City nor any other conduct, action or inaction of any City representative relating to the Agreement constitutes a waiver of sovereign immunity by City.
- 29. **Authority:** Contractor warrants and represents that Contractor has full power and authority to enter into and perform this Agreement and to make the grant of rights contained herein. The person signing on behalf of City represents that he/she has authority to sign this Agreement on behalf of City.
- 30. **Non-Waiver:** The Parties specifically agree that neither the occurrence of an event giving rise to a breach of contract claim nor the pendency of a claim constitute grounds for the suspension of performance by Contractor. No covenant or condition of this Agreement may be waived except by written consent of the waiving party. Forbearance or indulgence by one party in any regard whatsoever shall not constitute a waiver of the covenant or condition to be performed by the other party.
- 31. **Prohibition on Boycotting Israel:** Pursuant to Section 2270.002 of the Texas Government Code, by executing this Agreement Contractor verifies that Contractor: (1) does not boycott Israel; and (2) will not boycott Israel during the term of this Agreement.
- 32. **Prohibition Against Business with Iran, Sudan or Foreign Terrorists Organizations:** Contractor warrants, covenants, and represents that Contractor is not engaged in business with Iran, Sudan, or any company identified on the list referenced in Section 2252.152 of the Texas Government Code.

(signature block on next page)

Office of the City Attorney

Executed on	(date to be filled in by City Secretary)
THIRKETTLE CORPORATION D/B/A	AQUA METRIC SALES COMPANY - "Contractor"
Christopher Newnille 3887BDD955C54B7 Chris Newville, Manager	
Chris Newville, Manager	
CITY OF LEAGUE CITY – "City"	
John Baumgartner, City Manager	
Attest:	
Diana Stapp, City Secretary	
Approved as to Form:	

Exhibit A

Scope of Services/Description of Products/Payment Schedule

(There are 16 pages for Exhibit A, including this page)

Scope of Work:

To purchas new Sensus meter for installation of new construction and to purchase parts due to damage on existing meters.

Jim Grillo Sensus USA, Inc Mid-West Director of Sales 612-867-3283 jim.grillo@xyleminc.com



August 16, 2021

To Whom It May Concern:

Sensus USA, Inc is pleased to announce that <u>Aqua Metric of Selma, TX</u> is the exclusive Authorized Distributor of Sensus products and Value Added Reseller (VAR) for Sensus Services such as SaaS in the territory of Central, East and South Texas and the state of Louisiana.

Please contact Aqua Metric for all of your Sensus needs. Purchasing Sensus products and services from the authorized distributor for your area ensures that your products will be properly supported and warranted.

We look forward to the opportunity of providing your firm with quality water measurement equipment and support in the near future. Please feel free to contact me at im.grillo@xyleminc.com regarding this or any other matter.

Sincerely

James C. Grillo

Mid-West Director of Sales

Sensus USA, Inc



Sales Quote

August 18, 2021

Aqua-Metric Sales Company

16914 Alamo Parkway, Building 2 | Selma, TX 78154 Phone: (210) 967-6300 | Facsimile: (210) 967-6305

Quote for: City of League City, Texas

Attention: Lindsey Sinibaldi
Address: 300 W Walker Street
City, State, ZIP: League City, Texas 77573

Phone: (281) 554-1000

Email:

Quantity	Description	Unit Price	Line Total
	FY 2022 Pricing		
1	520M Single Port SmartPoint	\$129.75	\$129.75
1	520M Dual Port SmartPoint	\$151.60	\$151.60
1	3/4" SL iPERL Meter USG	\$121.43	\$121.43
1	1" iPERL Meter USG	\$177.16	\$177.16
1	1 1/2" OMNI R2 Meter USG	\$466.26	\$466.26
1	2" OMNI R2 Meter USG	\$654.19	\$654.19
1	1 1/2" OMNI C2 Compound Meter USG	\$1,034.20	\$1,034.20
1	2" OMNI C2 Compound Meter USG	\$1,194.71	\$1,194.71
1	3" OMNI C2 Compound Meter USG	\$1,511.50	\$1,511.50
1	4" OMNI C2 Compound Meter USG	\$2,625.25	\$2,625.25
1	6" OMNI C2 Compound Meter USG	\$4,534.56	\$4,534.56
1	8" OMNI C2 Compound Meter USG	\$7,325.05	\$7,325.05
1	1 1/2" OMNI T2 Turbo Meter USG	\$707.74	\$707.74
1	2" OMNI T2 Turbo Meter USG	\$888.34	\$888.34
1	3" OMNI T2 Turbo Meter USG	\$1,046.15	\$1,046.15
1	4" OMNI T2 Turbo Meter USG	\$2,036.90	\$2,036.90
1	6" OMNI T2 Turbo Meter USG	\$3,666.65	\$3,666.65
1	8" OMNI T2 Turbo Meter USG	\$6,222.55	\$6,222.55
1	6" OMNI F2 Fire Service Meter USG - Compact Length	\$8,442.79	\$8,442.79
1	8" OMNI F2 Fire Service Meter USG - Compact Length	\$12,640.00	\$12,640.00
1	520M Pit Lid Housing, III No. 85B	\$24.53	\$24.53
1	520M Pit Locking Nut, III No. 85E	\$5.32	\$5.32
1	iPERL Cable Only, 6'TR/PL Two-Wire	\$17.78	\$17.78
1	OMNI R2 Register Only ⁷	\$168.82	\$168.82
1	OMNI T2/C2 Register Only ⁷	\$275.74	\$275.74

This quote for the product and services named above is subject to the following terms:

- 1. All quotes are subject to the Aqua-Metric Terms of Sale.
- 2. Quote is valid until September 30, 2022.
- 3. Freight allowed on single orders exceeding \$10,000.00.
- 4. Net Thirty Days to Pay.
- 5. Returned product may be subject to a 25% restocking fee.
- 6. Sales Tax and/or Freight charges are approximated and may vary on final invoice.
- 7. OMNI Meter's SN required for purchase of OMNI Register.

FORM D - OFFERED ITEMS PRICING

INSTRUCTIONS: Fill in unshaded areas. Complete one line for each product code. Shaded columns for H-GAC use only. You <u>must</u> provide a discount. Catalogs bid at 0 (zero) percent discount from list/retail price will be deemed non-compliant.

Offeror Name:			Thirkettle Corpor	ration dba Aqua-Metric Sales Company; dba Utiliuse		
Contract	Manufacturer	Vendor	Product Code	Description	Price	Discount Percentage
WM09-20		ABB	WM0901A	Magnetic metering assemblies pricing catalog	No Bid	No Bid
WM09-20		ABB	WM0901B	Flow metering assemblies pricing catalog	No Bid	No Bid
WM09-20		ABB	WM0901C	Analytical assemblies pricing catalog	No Bid	No Bid
WM09-20		ABB	WM0901D	Level Transmitters assemblies pricing catalog	No Bid	No Bid
WM09-20		ABB	WM0901E	Pressure Transmitters assemblies pricing catalog	No Bid	No Bid
WM09-20		ABB	WM0901F	Recorders & Controllers assemblies pricing catalog	No Bid	No Bid
WM09-20		ABB	WM0901G	Valve Actuator, Positioner & Pneumatic to Electrical Convertors (I/P) assemblies pricing catalog	No Bid	No Bid
WM09-20		ABB	WM0901H	PLC assemblies pricing catalog	No Bid	No Bid
WM09-20		ABB	WM0901I	DCS assemblies pricing catalog	No Bid	No Bid
WM09-20		ABB	WM0901J	Variable Speed Drives assemblies pricing catalog	No Bid	No Bid
WM09-20		ABB	WM0901K	Services Start-up, Maintenance, Repair, Training Services pricing catalog	No Bid	No Bid
WM09-20		Aclara	WM0927A	Aclara AMI Reading System pricing catalog	No Bid	No Bid
WM09-20		Aclara	WM0927B	Aclara Data Collectors System pricing catalog	No Bid	No Bid
WM09-20		Aclara	WM0927C	Aclara Fixed Network Services pricing catalog	No Bid	No Bid
WM09-20		Aclara	WM0927D	Aclara Zonescan Leak Detection prining catalog	No Bid	No Bid
WM09-20		Aqua Metric	WM0925A	AMR/AMI System - Infrastructure Pricing Catalog		20%
WM09-20		Aqua Metric	WM0925B	AMI/AMR System - Software Products Pricing Catalog		1%
WM09-20		Aqua Metric	WM0925C	Project Management and Implementation Services Pricing Catalog		1%
WM09-20		Aqua Metric	WM0925D	AMI System Add-On Features		1%
WM09-20		Aqua Metric	WM0925E	Meter Installation and Testing Services Pricing Catalog		10%
WM09-20		Aqua Metric	WM0925F	Residential Water Metering Assemblies Pricing Catalog		20%
WM09-20		Aqua Metric	WM0925G	Commercial Water Metering Assemblies Pricing Catalog		20%
WM09-20		Aqua Metric	WM0925H	Electric Metering Assemblies Pricing Catalog		20%
WM09-20		Aqua Metric	WM0925I	Gas Metering Assemblies Pricing Catalog		No Bid
WM09-20		Aqua Metric	WM0925J	Portable Meter Test Equipment Pricing Catalog		20%
WM09-20		Aqua Metric	WM0925K	Fire Hydrant Meters Pricing Catalog		20%
WM09-20		Aqua Metric	WM0925L	Act-Pak Instrumentation and Transmitters Pricing Catalog		20%
WM09-20		Aqua Metric	WM0925M	Sensus All Product Parts Catalog		20%
WM09-20		Attabox	WM0921A	NEMA 4X Electrical Enclosure and pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902A	E-Series metering assemblies pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902B	Disc Series metering assemblies pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902C	Turbo Series metering assemblies pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902D	Fire Hydrant Meters pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902E	Compound Series metering assemblies pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902F	Mag Meter metering assemblies pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902G	Fire Series Meters pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902H	Meters for Reclaimed Water pricing catalog Meter Accessories pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902I	Test Equipment pricing catalog	No Bid	No Bid
WM09-20 WM09-20		Badger Badger	WM0902J WM0902K	Hydraulic Flow Lab pricing catalog	No Bid No Bid	No Bid
WM09-20 WM09-20		Badger	WM0902K WM0902L	Galaxy Fixed Network AMI pricing catalog	No Bid	No Bid No Bid
WM09-20		Badger	WM0902L WM0902M	Orion Hybrid AMI pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902N	Orion Mobile AMR pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902O	Itron Mobile RF System pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902P	Reading Data Management Software pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902Q	Encoders pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902R	Read-O-Matic pricing catalog	No Bid	No Bid
WM09-20		Badger	WM0902S	BadgerTouch pricing catalog	No Bid	No Bid
WM09-20		Datamatic	WM0926A	MIU/Meter Interface Unit	No Bid	No Bid
WM09-20		Datamatic	WM0926B	Handheld Reading Unit/Handheld Radio Reading Unit	No Bid	No Bid
WM09-20		Datamatic	WM0926C	Mobile Radio Reading Unit	No Bid	No Bid

WM0925F Residential Water Metering Assemblies Pricing Catalog

Sensus iPERL Water Meters

Part Number Configuration List Price IXXGAXX \$ -

		IXXGAXX	\$	-
Calastian	Option	Description	Option List	Configuration
Selection	Number	Description	Price	List Price
	1	Chamber Type		
X	ī	iPERL		
	2	Meter Size		
			ć 454.20	
	1	5/8" (7-1/2" Lay Length)	\$ 151.38	~~~~~
	2	3/4S" (7-1/2" Lay Length)	\$ 151.74	
	3	3/4" (9" Lay Length)	\$ 171.38	
	4	3/4" (9" Lay Length) 1" (10-3/4" Lay Length)	\$ 224.58	
	5	5/8 x 3/4 (7-1/2" Lay Length)	\$ 151.74	
Х	3	AMR/AMI Reading Mode		
Х	Х	Normal Mode (Competitive Systems) LCD always on		\$ -
	S	Smart Mode (Sensus Systems) LCD always on		·········
	Υ	Normal Mode (Competitive Systems) LCD off in 30 sec		
	<u>'</u> Т	Smart Mode (Sensus Systems) LCD off in 30 sec		
X	4	Cable Options	6	ć
Х	X	NO CABLE (DR & ECR-DM)	\$ -	\$ -
	1	6' TR/PL cable (2 wire)	\$ 10.52	
	2	25' TR/PL cable (2 wire)	\$ 13.91	
	3	3 Terminal screws	\$ 8.93	
	4	3-wire with 6' cable (plain end)	\$ 9.62	
	5	3-wire with 25' cable (plain end)	\$ 13.41	
	6	ITRON connector w/ 5' cable	\$ 33.78	***************************************
	7	ITRON connector w/ 25' cable	\$ 51.61	
	8	6' TR/PL cable (3-wire)	\$ 18.67	
	9	25' TR/PL cable (3-wire)	\$ 21.70	
	A	NICOR 5'	\$ 22.54	
	В	NICOR 20'	\$ 38.54	
		n processor contrata		
	C	NICOR 50'	\$ 71.43	
G	5	Units of Measure		A
Х	G	G Gallons		\$ -
	F	F Cubic Feet		
	М	M Cubic Meters		
Α	6	AMR Digits or Direct Read (DR) m3 register sweep		
Х	А	98765432		\$ -
	В	9876543*		
	С	*8765432		
P	D	987654**		
	E	*876543*		
 	F	**765432		
	G	98765***		
 	Н	*87654**		
l	<u> </u>	**76543*		
 	ار ا	***65432		
 	K			
	1			
	L	9876****		
	L M	*8765***		
	N	*8765*** **7654**		
	N P	*8765*** **7654** ***6543*		
	N P Q	*8765*** **7654** ***6543* ****5432		
Х	N P Q 7	*8765*** **7654** ***6543* ****5432 "B" Options		
X	N P Q	*8765*** **7654** ***6543* ****5432 "B" Options No Options Requested		\$ -
	N P Q 7	*8765*** **7654** ***6543* ****5432 "B" Options No Options Requested Use Customer S/N for Register ID		\$ -
	N P Q T X	*8765*** **7654** ***6543* ****5432 "B" Options		\$ -

Aqua-Metric Sales Company / Utiliuse 16914 Alamo Parkway, Buiding 2, Selma, TX 78154 Phone: (210) 967-6300 | Fax: (210) 967-6305

WM0925F Residential Water Metering Assemblies Pricing Catalog

Sensus iPERL Water Meters

Part Number Configuration List Price
IXXGAXX \$ -

		IAAGAAA	Y	_
Selection	Option Number	Description	Option List Price	Configuration List Price
	Α	2 Hour Interval Data		
	В	2 Hour Interval Data, Use Customer S/N for Register ID		
	С	2 Hour Interval Data, Use Customer S/N on Body Cover		
	D	2 Hour Interval Data, Use Customer S/N for Register ID and on Body Cover		
Х	8	Additional Options		
Χ	Χ	No Options Requested		\$ -
	R	Reclaim	\$ 11.61	
	F	Fire Service (3/4S, 3/4, 1" only)	\$ 32.59	
	Part Number Configuration Lis		on List Price	
		IXXGAXX	\$	-

TRPL Housing 10.50 (list price) (Part #: SM50530600001)
Touchpad Adder \$7.44 (list price) (Part #: SM50520600001)

WM0925F Residential Water Metering Assemblies Pricing Catalog

Sensus SRII Positive Displacement Water Meters

Part Number Configuration List Price #N/A \$ -

		#N/A	\$	-
Selection	Option Number	Description	List Price	Configuration List Price
S	1	Chamber Type		
Χ	S	SRII®		
	3	Meter Size		
	1	5/8"	\$ 90.03	
	2	5/8" x 3/4"	\$ 90.03	
	3	3/45"	\$ 140.23	
	4	3/4"	\$ 140.23	
	5	1"	\$ 204.43	
Х	4	"A" Options		
Χ	Х	Potable	\$ -	\$ -
	R	Reclaim Option	\$ 9.05	
#N/A	5	Bottom Plate/Cap Screw (must enter meter size first)		
	1	Cast Iron / Stainless Steel	\$ 3.21	
	3	Bronze / Stainless Steel	\$ 4.28	
	A	Cast Iron/ 1 Drilled Stainless Steel	\$ 4.01	
	В	Bronze/ 1 Drilled Stainless Steel	\$ 5.08	.
	D	Cast Iron/ 2 Drilled Stainless Steel	\$ 4.28	
	Е	Bronze/ 2 Drilled Stainless Steel	\$ 5.35	
	F	Plastic/ 2 Drilled Stainless Steel (5/8" and 5/8" x 3/4" only)		
Х	6	Register Type		
		No Register		
		If Inside-set meter, select Rubber Division Plate.		
χ	Χ	If Pit-set meter, select Plastic Division Plate.	\$ -	\$ -
		Direct Read (DR)		
	1	Must select Plastic Division Plate.	\$ 3.74	
		Electronic Register (Inside-set w/ 3 Terminal Screws)		
	2	Must select Rubber Division Plate.	\$ 78.26	
		Electronic Register (Pit-set)		
	3	Must select Plastic Division Plate.	\$ 96.41	
	4	REMOVABLE DR	\$ -	
Х	7	Cable Options	•	
Х	Х	NO CABLE (DR or Electronic Inside-set Only)	\$ -	\$ -
	1	ECRWP 3-wire 6' (Electronic Pit-set Only)	\$ -	
	2	ECRWP 3-wire 25' (Electronic Pit-set Only)	\$ 1.61	
	3	ECRWP 3-wire 50' (Electronic Pit-set Only)	\$ 5.56	
	5	ECRWP 3-wire 100' (Electronic Pit-set Only)	\$ 15.57	·
······	6	ITRON 5' (Electronic Pit-set Only)	\$ 18.97	
······	7	ITRON 25' (Electronic Pit-set Only)	\$ 37.34	
	8	TRPL 6' (Electronic Pit-set Only)	\$ 1.79	
p	А	TRPL 20' (Electronic Pit-set Only)	\$ 2.41	
,	В	TRPL 50' (Electronic Pit-set Only)	\$ 5.56	
	С	TRPL 100' (Electronic Pit-set Only)	\$ 16.68	
	F	NICOR 5' (Electronic Pit-set Only)	\$ 10.03	
	G	NICOR 20' (Electronic Pit-set Only)	\$ 24.54	
	Н	NICOR 50' (Electronic Pit-set Only)	\$ 56.68	
Р	8	Division Plate		
	D	Rubber Division Plate (Inside-set)	\$ -	
Χ	Р	Plastic Division Plate (Pit-set)	\$ -	\$ -
Х	9	"C" Options		
X	X	No Options Requested		\$ -
	1	Less Touchpad/Less Housing (NOT FOR DR/ITRON/NICOR UNITS)	N/A	
ļ	†~~~~~~~~~			·
	3	DR Plastic (Bonnet/Lid)		

Aqua-Metric Sales Company / Utiliuse 16914 Alamo Parkway, Buiding 2, Selma, TX 78154 Phone: (210) 967-6300 | Fax: (210) 967-6305 Houston-Galveston Area Council Contract No. WM0925

Page 1





FEATURES

- 5/8", 5/8" x 3/4", 3/4" and 1" sizes available in potable and reclaim versions
- 3/4" and 1" available in residential fire service (UL 327b)
- Starts registering flow as low as 0.03 gpm (0.007 m³/hr)
- Can be installed horizontally, vertically or diagonally
- Compatible with current Sensus AMI/ AMR systems

BENEFITS

- Maximize investment with iPERL's electromagnetic technology, which delivers a 20-year accuracy warranty, with no required maintenance, and no loss in accuracy over 20 years
- Smart alarms detect issues such as leaks, reverse flow, empty pipe, etc.
- Improve low flow accuracy to drive additional revenue

iPERL Smart Water Meter

Electromagnetic Flow Measurement System

Sensus iPERL® smart water meters are designed to capture both lost water and lost revenue. The innovative magnetic technology delivers unmatched low flow registration and minimal pressure loss. With no moving parts, iPERL maintains its accuracy over a 20 year lifetime and is equipped with smart water alarms - delivering the intelligence you need to quickly resolve issues in the field.

Industry Leading Performance

The patented measurement technology of the iPERL water meter provides continuous and enhanced accuracy ranges at both low and high flows and perpetual accuracy over the life of the product. The iPERL meter has a 20-year accuracy warranty and a 20-year battery life guarantee. Over this 20-year lifespan, your iPERL will measure just as accurately as the day it was installed.

Construction

The iPERL meter body is made of composite alloy and contains no metal material. Inside the meter body is an electronic register and a measuring device that is comprised of a composite alloy flow tube.

Electronic Register

The 9-digit hermetically-sealed electronic register with LCD display was designed to eliminate dirt, water, and moisture contamination in pit settings. The large, easy-to-read display includes AMI/AMR digits, direction of flow, units of measure, and empty pipe detection. The AMI/AMR digits and units of measure are fully programmable. The register also provides user configurable data logging.

Solid State Electromagnetic Technology

By avoiding the use of a mechanical measuring element inside the flow tube, metering performance is linear over the entire flow range – ensuring no reduction in accuracy at any flow rate over the life of the meter. The iPERL meter uses our patented remanent magnetic field technology – requiring far less energy and delivering superior accuracy.

Tamperproof

The integrated construction of the iPERL water meter prevents removal of the register to obtain free water. The magnetic tamper and low field alarms will both indicate any attempt to tamper with the magnetic field of the iPERL meter. The meter communication alarm indicates a possible cut cable.

Alarms

Quick resolution of field issues is made possible with smart water alarms including leak detection, reverse flow, empty pipe, magnetic tamper and low battery. When integrated with our FlexNet® communication network, remotely gathering and transmitting data has never been more reliable or profitable.



iPERL Smart Water Meter

Electromagnetic Flow Measurement System

Smart Alarms

iPERL meters have many configurable smart alarms designed to protect your utility's investment, enhance customer service, and monitor/optimize distribution systems. These alarms include:

■ Empty Pipe

Detects the absence of water in the flow tube and sends an alert. Allows you to identify main breaks downstream and water shortages for quicker resolution to ensure water availability. This alarm can also indicate the water meter has been removed from service, or notify you of potential tamper.

■ Tampering

Detect magnetic interference to reduce apparent water losses and protect against unauthorized activities.

■ Customer Leak

Detect continual consumption of water over a period of time to indicate downstream leaks. This protects your utility, infrastructure and customers through alarm notifications that can reduce water loss and leak adjustment costs.

Low Battery

Replace your meters before they stop recording consumption through alerts indicating battery capacity to the meter or valve is running low.

■ Reverse Flow

Keep untreated water from re-entering your distribution system and deter tampering attempts through an alarm triggered when reverse flow is detected at the meter.


SPECIFICATIONS


Service	Measurement of potable and submersible. IP68+ rated.	l reclaim water, and Residentia	al Fire Service (UL 327b). 0-100	% humidity. Fully
Temperature Ranges	Water operating: Ambient air operating: Storage air:	33 °F (0.55 °C) to 80 °F (26.7 -22 °F (-30 °C) to 140 °F (60 ° -30 °F (-34.4 °C) to 158 °F (70	C)	
Starting Flow	5/8" (DN 15 mm) size: 0.03 gpm (0.007 m3/h)	5/8" x 3/4" (DN 15x20 mm) size: 0.03 gpm (0.007 m3/h)	3/4" (DN 20 mm) size: 0.03 gpm (0.007 m3/h)	1" (DN 25 mm) size: 0.11 gpm (0.025 m3/h)
Low Flow Range (±3%)	5/8" (DN 15 mm) size: >0.10 gpm (0.025 m3/hr) to <0.18 gpm (0.041 m3/hr)	5/8" x 3/4" (DN 15 mm) size: >0.10 gpm (0.025 m3/hr) to <0.18 gpm (0.041 m3/hr)	3/4" (DN 20 mm) size: >0.10 gpm (0.025 m3/hr) to <0.18 gpm (0.041 m3/hr)	1" (DN 25 mm) size: >0.3 gpm (0.068 m3/hr) to <0.4 gpm (0.09 m3/hr)
Normal Water Operating Flow Range (±1.5%)	5/8" (DN 15 mm) size: 0.18 to 25 gpm (0.04 to 5.7 m3/hr)	5/8" x 3/4" (DN 15x20 mm) size: 0.18 to 35 gpm (0.04 to 5.7 m3/hr)	3/4" (DN 20 mm) size: 0.18 to 35 gpm (0.04 to 8.0 m3/hr)	1" (DN 25 mm) size: 0.4 to 55 gpm (0.09 to 12.5 m3/hr)
Maximum Operating Pressure	5/8", 5/8" x 3/4", and 3/4" size: 200 psi (13.8 bar) 1" size: 175 psi (12.1 bar)			
Measurement Technology	Solid state electromagnetic flow			
Register	Hermetically sealed, 9-digit programmable electronic register			
Capacity	10,000,000 gallons, 1,000,000 cubic feet or 100,000 m3 capacity.			
Register Resolution	.01 gallons/imperial gallons, .001 cubic foot, or .0001 m3.			
Conformance to Standards	Meets the requirements of NSF 61, Annex G and NSF 372. Exceeds the most current revision of AWWA Standard C-715.			
Materials	External housing - Thermal p Flowtube - Polyphenylene su		Electrode - Silver/silver chlor Register cover - Tempered g	


iPERL Smart Water Meter


Electromagnetic Flow Measurement System

Head Loss Curves











OMNI[™] R² Specifications

1-1/2" and 2" Sizes

SCOPE

These specifications set forth the minimum acceptable design criteria and performance requirements for Turbine-type cold water meters used in residential settings, including the following potential service applications and general considerations:

- · Intended where a moderately wide flow range is anticipated
- Measurement of water usage for typical billing applications
- Measurement intended for typical commercial, residential and industrial applications
- Measurement of constant low to extended high flow usage

CONFORMANCE TO STANDARDS

The meter package shall meet or exceed all requirements of AWWA Standard C701 for Class II turbine meter assemblies and exceeds AWWA C700 Residential Standard using Sensus Turbo technology. Each meter assembly shall be performance tested to ensure compliance.

The meter package shall meet or exceed all requirements of NSF/ANSI Standard 61, Annex F and G.

MAINCASES

The meter maincase shall be of epoxy coated ductile iron composition. The epoxy coating shall be provided as standard fusion-bonded and adhere to NSF for non-lead regulation compliance.

PERFORMANCE

The meter assembly shall have performance capability of continuous operation up to the rated maximum flows as listed below without affecting long-term accuracy or causing any undue component wear. Maximum headloss through the meter / strainer assembly shall not exceed those listed in the following table per meter size..

OPERATING CHARACTERISTICS

Meter Size	Low Flow (95% Min.)	Operating Range (98.5 - 101.5%)	Pressure Loss (Not to Exceed)
1-1/2	.75 GPM	2 to 150 GPM	6.7 PSI @ 150 GPM
2"	1.0 GPM	2.5 to 200 GPM	7.0 PSI @ 200 GPM
2" without Strainer	1.0 GPM	2.5 to 200 GPM	4.4 PSI @ 200 GPM

MEASURING CHAMBER

The measuring chamber shall consist of a measuring element, removable housing, and all-electronic register. The measuring element shall be mounted on a horizontal, stationary stainless steel shaft with sleeve bearings and be essentially weightless in water. The measuring element comes integrated with the advanced Floating Ball Technology design. The measuring chamber shall be capable of operating within the above listed accuracy limits without calibration when transferred from one maincase to another of the same size. The measuring shall be so configured to capture all flows as specified above.

DIRECT MAGNETIC DRIVE SYSTEM

The direct magnetic drive shall occur between the motion of the measuring element blade position and the electronic register. The OMNI direct drive system with Floating Ball Technology is designed to extend service life, enhance low flow sensitivity and provide extended flow capacity and overall accuracy of the meter assembly. Any and all additional intermediate, magnetic or mechanical, drive couplings are not acceptable.

ELECTRONIC REGISTER

The meter's register is all-electronic and does not contain any mechanical gearing to display flow and accurate totalization. The electronic register includes the following patial list of features:

- AMR resolution units fully programmable
- Large, easy-to-read LCD display
- 10-year battery life guarantee

MAXIMUM OPERATING PRESSURE

The meter assembly shall operate properly without leakage, damage, or malfunction up to a maximum working pressure of 200 pounds per square inch (psig).



STRAINERS

The meter strainer shall be integral and cast as part of the meter's maincase. The strainer's screen shall have a minimum net open area of at least two (2) times the pipe opening and be a V-shaped configuration for the purpose of maintaining a full unobstructed flow pattern. The strainer body shall be a coated ductile iron fusion-bonded epoxy identical to that of the meter's maincase. All fasteners shall be stainless steel capable of maintaining the following static pressure ratings and physical dimensions:

Meter Size	Maximum Operating Pressure	Centerline to Strainer Base	Overall Length (Not to Exceed)
1-1/2"	200 PSIG	2-5/16 INCHES	13 INCHES
2"	200 PSIG	2-5/16 INCHES	17 INCHES
2" without strainer	200 PSIG	2-5/16 INCHES	10 INCHES

STRAIGHTENING VANES

A straightening vane assembly is mandatory and shall be positioned directly upstream of the measuring element. The straightening vane assembly shall be an integral component of the measuring chamber.

CONNECTIONS

Flanges for the 1-1/2" and 2" size meter assemblies shall be of the 2-bolt oval flange configuration.

CERTIFICATIONS AND MARKINGS

All sizes of meter packages shall display the sizes, model, manufacturer name, and direction of flow. Such display shall be cast on the side of the meter maincase.

GUARANTEE AND MAINTENANCE PROGRAM

Meters shall be guaranteed against defects in material and workmanship for a period of one (1) year from date of shipment. In addition, the meter supplier shall submit nationally published literature clearly outlining its factory maintenance program and current price schedule covering complete measuring chamber exchange.

INTENT

Subject meter specifications are designed to establish minimum guidelines for selecting an extremely critical metering device. Areas of concern to be evaluated in the selection process include, but are not limited to, ease of installation, operational features and benefits, readability and future system maintenance expense. A design, which reflects longevity of proper operation in all elements and high degree of sustained accuracy within the entire range of the meter assembly, is to be considered mandatory. Enhanced accuracy levels and performance are desired and will not be compromised.

RECOMMENDATION

Sensus

OMNI R² Meter

© All products purchased and services performed are subject to Sensus' terms of sale, available at either; http://na.sensus.com/TC/TermsConditions.pdf or 1-800-METER-IT. Sensus reserves the right to modify these terms and conditions in its own discretion without notice to the customer.

This document is for informational purposes only, and SENSUS MAKES NO EXPRESS WARRANTIES IN THIS DOCUMENT. FURTHERMORE, THERE ARE NO IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION, WARRANTIES AS TO FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY. ANY USE OF THE PRODUCTS THAT IS NOT SPECIFICALLY PERMITTED HEREIN IS PROHIBITED.



SR II® METERS Parts List

Sizes 5/8" through 1"






SR II® Water Meters

Sizes 5/8" through 1"

NOTES:

Prices F.O.B. Factory– subject to change without notice and such discounts as market conditions allow.





SR II® Water Meters

Sizes 5/8" through 1"

ILL. No.	Name of Part
1A	Register Lid - Bronze ¹
1B	Register Lid - Plastic ¹
1C	Register Lid - Plastic (ICE-Opto)
1D	Electronic Register Lid
1E	Electronic Regiter TR Cover
2A	Hinge Pin—Bronze Lid ¹
2B	Hinge Pin—Plastic Lid ¹
2C	Electronic Register Magnet
3A	Register Bonnet—Bronze ¹
3B	Register Bonnet—Plastic Screw ¹
3C	Register Bonnet—Plastic Pin1
3D	Bayonet Ring for ICE-Opto or Electronic Register
3E	Electronic Register Bonnet
4A	Tamper Resistant Screw ⁴
4B	Electronic Register Lock
5	Tamper Detection Pin ²
6	Sealed Register⁵
6A	ICE-Opto Register⁵
7	Register Retaining Ring
8	Maincase ³
13	Strainer
14	Measuring Chamber, Complete, Tested (Rocksyn™) includes: • Measuring Chamber Top Rock Assembly with Drive Dog and Magnet (Rocksyn™) ⁶ • Piston ⁶ • Division Plate ⁶ • Control Roller ⁶ • Measuring Chamber Bottom w/Pin (Rocksyn™) ⁶ • Measuring Chamber Outlet Gasket

ILL. No.	Name of Part
17	Division Plate
18	Control Roller
20	Measuring Chamber Outlet Gasket
21	Bottom Plate Gasket
22	Bottom Plate Liner
23A	Bottom Plate—Cast Iron
23B	Bottom Plate—Plastic
23C	Bottom Plate—Bronze
24A	Maincase Cap Screw—Stainless, Washerhead
24B	Maincase Cap Screw—Stainless, Washer-head-Drilled
25A	Maincase Capscrew—Bronze, Washerhead
25B	Maincase Capscrew—Bronze-Drilled, Washerhead-Drilled

ACCESSORY EQUIPMENT

ILL. No.	Name of Part
26	Spanner Wrench
27	1/4" Drive Security Socket
28	Test Rings for Standard Register
29	Thread Protectors—5/8"-1"
30	Sealing Tool
31	Sealing Tool Die
32	Register Tester
33	Sealwire 24" Length
34	Lead Seal
35	Seal Wire 1000 ft. Spool, Not Shown
36	SRII Wrench

Bronze Lids must be used with Bronze Bonnets and Plastic Lids with Plastic Bonnets.


² Can be used only with Plastic Register Bonnet.

³ Specify Spud size by letter designation: A. 5/8°; B. 5/8° x 3/4°; C. 3/4°; D. 3/4° x 1°; E. 1°; F. 1° x 1-1/4° For 3/4° Maincase specify 9° or 7-1/2° laying length; 7-1/2° length is available only with 3/4° spud. • Control Roller


⁴ Requires a 1/4" drive tool (not supplied) for use with III. #4

⁵ Specify registration by letter designation:
A. U.S. Gallons; B. Cubic Feet; C. Cubic Meters; D. Other


A. U.S. Gallons; B. Cubic Feet; C. Cubic Meters; D. ⁶ Included in measuring chamber complete. (III. #14)














© All products purchased and services performed are subject to Sensus' terms of sale, available at either; http://na.sensus.com/TC/TermsConditions.pdf or 1-800-METER-IT. Sensus reserves the right to modify these terms and conditions in its own discretion without notice to the customer.

This document is for informational purposes only, and SENSUS MAKES NO EXPRESS WARRANTIES IN THIS DOCUMENT. FURTHERMORE, THERE ARE NO IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION, WARRANTIES AS TO FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY. ANY USE OF THE PRODUCTS THAT IS NOT SPECIFICALLY PERMITTED HEREIN IS PROHIBITED.







BENEFITS

- Easily receives input from either walk-by/ drive-by or fixed-base collection device
- Controls both deployment and lifetime operation costs
- Compact installation that saves time, space and money - without reducing system performance
- Delivers a fast, efficient and reliable connection at minimal cost
- Minimizes new infrastructure investment
- Enables effective leak detection

SmartPoint 520M

Pit Set Module

The SmartPoint® 520M Pit Set Module is a radio transceiver that provides water utilities inbound and outbound access to water measurement and ancillary device diagnostics via radio signal. The SmartPoint 520M is designed for submersible, pit-set environments.

TouchCoupler Design

The SmartPoint 520M Module utilizes TouchCoupler, the patented Sensus inductive coupling communication platform, to interface with the encoded meter. With TouchCoupler, the SmartPoint 520M Module can connect to the meter using existing two wire AMR installations instead of requiring utilities to access the meter to install a new three-wire connection. This results in a fast, efficient and reliable connection at minimal cost.

Operation

With its migratable, two-way communication ability, the M-Series SmartPoint functions as a walk-by/drive-by endpoint, fixed-base endpoint, or combination of the two. This flexibility increases utility data collection capabilities and streamlines operations. The SmartPoint 520M Module receives input from the meter register and remotely sends data to a walk-by/drive-by or fixed-base collection device. The SmartPoint 520M Module easily migrates from walk-by/drive-by to fixed base by simply installing a Base Station.

In walk-by/drive-by mode, the SmartPoint 520M Module collects data and awaits an activation signal from the Vehicle Gateway Basestation (VGB) or Hand-Held Device (HHD). Upon signal receipt, it transmits readings, the meter identification number and any alarms.

As a fixed-base endpoint, the SmartPoint 520M Module interacts with one or more strategically placed Base Stations located in the utility service area. Top of the hour readings and other diagnostics are instantly forwarded to the Regional Network Interface (RNI)™ at time of transmission. The FlexNet® communication network provides unmatched reliability by using expansive tower receiver coverage of metering end points, data/message redundancy, failover backup provisions and operation on FCC primary use (unshared) RF spectrum.

Powerful Transmission, Flexible Platform

The SmartPoint® 520M Pit Set Module offers several advantages that control both deployment and lifetime operation costs. Its powerful, industry-leading two watt transmitter broadcasts over large distances and minimizes collection infrastructure. And after the SmartPoint is installed, its migratable, two-way system platform can be updated without requiring personnel to visit each meter and/or inconveniencing customers.



SmartPoint 520M

Pit Set Module

Additional Smartpoint 520M Module Features

The SmartPoint 520M Module obtains hourly readings and can monitor continuous flow over a programmable period of time, alerting the utility to leak conditions. In addition, the SmartPoint stores up to 840 consumption intervals (35 days of hourly consumption), providing the utility with the ability to extract detailed usage profiles for consumer information and dispute resolution. The SmartPoint also incorporates a two-port design, allowing the utility to connect multiple registers and ancillary devices (such as acoustic monitoring) to a single SmartPoint. This results in a compact installation that saves time, space and money - without reducing system performance.

SPECIFICATIONS

Service	Pit set installation interfacing the utility meter to the Sensus FlexNet communication network. Unit requires 1.75" diameter hole in pit lid; fits pit lid thicknesses up to 1.75"	
Physical characteristics	Width: 4.43" x Height: 5.09" x Depth: 3"	
Weight	1.0 lbs/16.0 oz	
Color	Black	
Frequency range	900 - 950 MHz, 8000 channels X 6.25 kHz steps	
Modulation	Proprietary Narrow Band	
Memory	Non-Volatile Non-Volatile	
Power	Lithium Thionyl Chloride batteries	
Approvals	US: FCC CFR 47: Part 24D, Part 101C, Part 15 Licensed operation Canada: Industry Canada (IC) RSS-134, RSS-119	
Operating temperature	- 22° F to +185° F - 30° C to + 85° C	
Options	Dual or single port availability; TouchCoupler only, wired only	
Installation environment	100% condensing, water submersible	
Compatibility	TouchCoupler and Wired Version: Sensus Encoder Registers, Badger ADE water registers, Master Meter AccuLinx, and Hersey Translator (approved TR/PL Lead) Wired Version Only: Elster Encoder (Sensus protocol), Neptune ARB VI (ProRead), Hersey Translator, Zenner PMN Nitro 01, McCrometer flowcom FC100-00M, and Kamstrup flowIQ 2100	
	Refer to the 510M/520M SmartPoint® Module Water Meter and Ancillaries Compatibility Quick Guide for the latest compatibility information.	
Warranty	20 years - Based on six transmissions per day. Refer to Sensus G-500 for warranty.	



inquiries.

CITY OF LEAGUE CITY VENDOR REPORT CARD: GOODS			
Vendor Name: Thirkettle Corp. Aqua Metric Sales	Contract # 3210038 Fiscal Year:	2021	
Date: 8/27/2021	Form completed by: Lindsey Sinibaldi		
Scoring Guide			
1 Does not meet criteria			
2 Generally does not meet criteria			
3 Meets criteria			
4 Exceeds some criteria			
5 Exceptional criteria			
Evaluation Cr	riteria	Score	
VENDOR RESPONSIVENESS			
Vendor is knowledgeable and competent about product		5	
Service level agreements are met		5	
Communication is relevant and timely		5	
Vendor provides timely response to questions		5	
Broad contact with City of League City		5	
Comments:			
Total Vendor Respons	siveness Score	25	
QUALITY AND DELIVERY			
Deliveries are on-time		3	
Product(s) meet specifications		3	
Product(s) is free of defects		3	
Product(s) is reliable		3	
Product(S) is available		3	
Product(s) mistakes can/will be corrected		3	
Warranty is competitive and upheld		3	
Depth of vendor's team		5	
Comments:			
Total Vendor Quality an	d Delivery Score	26	
FINANCIAL			
Value of product is high		3	
Proposals and invoices are accurate and timely		4	
Pricing is competitive		3	
Invoice pricing matches contract pricing		5	
Comments:			
Total Vendor Finar	ncial Score	15	
REPUTATIONAL			
Confidentiality and security of documents and data		3	
Organizational stability and resiliency		3	
Industry reputation is good standing		5	
Comments:			
Total Vendor Reputa	ational Score	11	
	Total Vendor Score	77	
Would you hire them again? ✓es 🗔			
Comments: Irene and Mike are exceptionally responsive and help	with all inquiries whether it is about software, problem solving.	or contract	

If a contract is not being renewed and/or is being broken due to performance issues, please send a copy of the report card to the vendor.