



Legislation Details (With Text)

File #:	18-0271	Version:	1	Name:	Flood Ordinance
Type:	Agenda Item	Status:		Status:	Approved
File created:	5/9/2018	In control:		In control:	Public Works
On agenda:	6/12/2018	Final action:		Final action:	6/12/2018
Title:	Consider and take action on an ordinance authorizing various amendments to Chapter 50 of the Code of Ordinances of the City of League City entitled, "Floods" to change various engineering standards to allow for the minimization of flood losses (Director of Engineering)				

Sponsors:

Indexes:

Code sections:

Attachments: 1. Data Sheet, 2. Proposed Ordinance, 3. Redline Changes for Chapter 50, 4. Cross-Section and Ponding Details

Date	Ver.	Action By	Action	Result
6/12/2018	1	City Council	Approved	Pass

Consider and take action on an ordinance authorizing various amendments to Chapter 50 of the Code of Ordinances of the City of League City entitled, "Floods" to change various engineering standards to allow for the minimization of flood losses (Director of Engineering)

Approval of this ordinance will amend Chapter 50 of the Code of Ordinances of the City of League City entitled, "Floods" regarding engineering standards for the minimization of flood losses.

A presentation of proposed changes was presented to Council during the April 26, 2018 Work Session.

The "Flood Ordinance" contains requirements for sub-dividers, developers, applicants, engineers, surveyors, realtors and other persons interested and involved in the subdivision and developer of land within areas of special flood hazards or within the Zone X (shaded) areas.

The proposed amendment to the Flood Ordinance will include:

- Terminology and definitions updated to reflect current industry accepted nomenclature
- Development requirements within Zone X (shaded) areas
- Elevation Certificates, which must be submitted to and accepted by the City's Floodplain Coordinator prior to a Certificate of Occupancy being issued
- Requirement of Manufactured Homes, Residential Construction, and Commercial Construction to have the lowest floor elevation (including basements) a minimum of 24 inches above the larger of the Base Flood Elevation (BFE), the crown of the nearest street, or the highest grade adjacent to the building *AND* be a minimum of 3 inches above the nearest 500-year Flood Elevation

Engineering, Planning, and Building Staff recommend approval of the proposed amendment to the Flood Ordinance.

Attachments:

1. Data Sheet
2. Proposed Ordinance
3. Red-line Changes for Chapter 50
4. Cross-Section and Ponding Details

FUNDING

{x} NOT APPLICABLE

{ } Funds are available from Account # _____